



ZUMTOBEL

ONDARIA

Circular LED luminaire

A perfect combination
of balanced design and
pleasantly soft light.







The lighting effect and the luminaire design speak a common language. The rounded shape is complemented by a slightly concave opal diffuser. It is illuminated uniformly, concealing the outlines of the light source. An unobtrusive indirect component brightens up the ceiling and enhances the luminaire's three-dimensional effect.

Circular design

Allows for fully flexible positioning in the room

Diameters: 17, 25, or 37 inches

Create uniform lighting schemes with a variation of sizes

Softly rounded aluminum housing

Precision crafted to be one piece

Small indirect glow

For gentle brightening of the ceiling and a visually reduced housing height

Larger indirect component

Available on the Medium and Large ONDARIA, the indirect board achieves up to 15% uplight

Opal, uniform luminous field

Depth effect due to concave diffuser, no visible outlines of light sources

Highly reflective coating inside

Increases efficiency in combination with efficient light sources

Luminaire functions


ONDARIA is available with dimming, Separate Switching (Medium and Large), and with Standby Battery Packs

Luminaire efficiency

As high as 83 lm/W: this maximum level is achieved by the luminaire thanks to efficient backlit technology

ONDARIA

Design



Small. Medium. Large.

ONDARIA is available with diameters of 17, 25, and 37 inches. The circular luminaire blends smoothly into any interior, creating a harmonious atmosphere. ONDARIA enhances prestigious areas such as lobbies and foyers, communication areas and lounges, corridors and staircases.

"ONDARIA combines an austere basic geometry with soft outlines. The luminaire's concave surface, which is slightly recessed, creates a special effect of three-dimensionality and depth. The fully flexible luminaire provides impressive architectural versatility."



Design: Stefan Ambrozus



2012



Pendant

The ONDARIA range can be suspended from three delicate steel cords that either individually connect to the ceiling, or can join into one canopy connection. The ceiling canopy reflects the luminaire's design.



Surface-mounted

Installed directly on the ceiling, the small indirect component creates a major effect: the ceiling is slightly brightened up, which visually reduces the luminaire's height.



Recessed

Recessed into the ceiling, ONDARIA presents itself as a luminous circle with a slightly backlit shadow line. The recessed frame is made of white painted aluminum.




Semi-recessed

Alternatively, ONDARIA may also be installed to slightly protrude from the ceiling.

ONDARIA

Product Offering

	 Small - 17"	 Medium - 25"	 Large - 37"
Wattages and Output	27W - 1767 lumens	41W 3130 lumens 48W 3640 lumens (direct/indirect) 85% direct/15% indirect	133W 10384 lumens 144W 11307 lumens (direct/indirect) 92% direct/8% indirect
Mounting	Pendant, Surface, Recessed, Semi-Recessed		
Color Temperature	3000K, 3500K, 4000K		
Color Quality	CRI >80		
Dimming	0-10V dimming or Lutron dimming		
Finish	White or Custom		
Options	Standby Battery Pack	Standby Battery Pack; Separate Switching/Dimming on Pendant Mount	





ZUMTOBEL

a member of
zumtobel group

ONDARIA

Circular LED luminaire

A perfect combination
of balanced design and
pleasantly soft light.



Zumtobel Lighting, Inc.
3300 Route 9W
Highland, NY 12528

Main: 845-691-6262
Toll Free: 800-448-4131
Email: zli.us@zumtobelgroup.com

www.zumtobel.us/ondaria
www.zumtobel.us

D00372CA 7/14 © Zumtobel Lighting, Inc.
In a continuing effort to offer the best product possible we reserve the right to change, without notice, specifications or materials that in our opinion will not alter the function of the product. Technical data was correct at time of going to press.

