



ZUMTOBEL

DIAMO

LED Downlight

Brilliant lighting quality
creates powerful accents.




DIAMO

The essence of brilliant lighting

DIAMO's unique lighting technology, designed in collaboration with Bartenbach LichtLabor, is a highlight in the world of miniaturized recessed luminaires. Specially designed reflectors create precise beam patterns that minimize stray light and provide excellent glare control. High-performance LED modules produce pinpoint accent lighting with excellent quality and when combined with the reflector design the result is a brilliant looking luminaire.


This diamond among LED downlights will enhance prestigious and functional areas in offices, provide focused illumination on goods in shops, and is ideal for use in hotel reception areas and guest rooms. Warm and intermediate color temperatures are available to create pleasing atmospheres.





DIAMO

Precision with minimum space



Ceiling cut-out
ø 2 3/4"


System power
21W LED

Color temperature
2700K, 3000K, 4000K

Color rendering
Ra 90 (at 3000K)
Ra 80 (at 2700K and 4000K)









Beam angles
Flood, Wide Flood, Very Wide Flood,
and Wallwasher


Luminaire efficacy
up to 62 lumens/watt



DIAMO

Product Offering

				
	Flood	Wide Flood	Very Wide Flood	Wallwasher
Wattage	21W			
Distribution and Output	Flood (28°) 1242 lumens 	Wide Flood (37°) 1235 lumens 	Very Wide Flood (50°) 1344 lumens 	Wallwash 775 lumens 
Color Quality	2700K, 80 typical CRI 3000K, 90 typical CRI 4000K, 80 typical CRI			
Dimming	0-10V, DALI, or Lutron			
Options	Standby Battery Pack			





DIAMO

LED Downlight

Brilliant lighting quality
creates powerful accents.



Zumtobel Lighting, Inc.
3300 Route 9W
Highland, NY 12528

Main: 845-691-6262
Toll Free: 800-448-4131
Email: zli.us@zumtobelgroup.com

www.zumtobel.us/diamo
www.zumtobel.us

D00371CA 7/14 © Zumtobel Lighting, Inc.
In a continuing effort to offer the best product possible we reserve the right to change, without notice, specifications or materials that in our opinion will not alter the function of the product. Technical data was correct at time of going to press.

