
















2 Circuit / 2 Neutral Track¹

	DESCRIPTION	COLOR	PART NUMBER	
			TEK 2 CIRCUIT, 120 V	HTEK 2CIRCUIT, 277 V
	Live end feed (includes (1) dead end)	Natural	05014521	05014524
		Black	05014291	05014357
		White	05014292	05014358
	Live center feed (includes (2) dead ends)	Natural	05014522	05014525
		Black	05014293	05014359
		White	05014294	05014360
	Linear coupler	Natural	05014523	05014526
		Black	05014295	05014361
		White	05014296	05014362
	L-feed (includes (2) dead ends)	Natural	05014489	05014510
		Black	05014297	05014363
		White	05014298	05014364
	T-feed left (includes (3) dead ends)	Natural	05014490	05014511
		Black	05014301	05014367
		White	05014302	05014368
	T-feed right (includes (3) dead ends)	Natural	05014491	05014512
		Black	05014299	05014365
		White	05014300	05014366
	X-feed (includes (4) dead ends)	Natural	05014492	05014513
		Black	05014303	05014369
		White	05014304	05014370
	Flexible connector	Natural	05014493	05014514
		Black	05014305	05014515
		White	05014306	05014516
	Dead End	Natural	05014494	05014517
		Black	05014307	05014518
		White	05014308	05014519
	Outlet Box cover	Natural	05014481	05014481
		Black	05014309	05014309
		White	05014310	05014310
	Cutting tool	Natural	05014312	05014312
	Recessed end cap	Natural	05014311	05014311
	Circuit Breaker	1 amp	05014455	Consult Factory
		3 amp	05014456	
		5 amp	05014457	
		8 amp	05014458	
		10 amp	05014459	
	Current Limiting Device ²	Natural	11017983	11017986
		Black	11017984	11017987
		White	11017985	11017988

¹ When ordering track, be sure to select: 1) TRACK LENGTHS (See separate Spec Sheet) , 2) ACCESSORIES and 3) SUSPENSION PARTS









² When specifying current limiters, both Current Limiting Feed and Circuit Breaker must be ordered. When Current Limiting Feeds are used, non-current limiting feeds are not required.

2 Circuit / 2 Neutral Track¹

PART NUMBER

DESCRIPTION	COLOR	PART NUMBER	
		TEK 2 CIRCUIT, 120 V	HTEK 2CIRCUIT, 277 V











Suspension Parts¹

	Stem and canopy kit, 3/8" X 12" length	Natural Black White	05014506 05014340 05014341	05014506 05014340 05014341
	Stem and canopy kit, 3/8" X 18" length	Natural Black White	05014507 05014342 05014343	05014507 05014342 05014343
	Stem and canopy kit, 3/8" X 24" length	Natural Black White	05014508 05014344 05014345	05014508 05014344 05014345
	Stem and canopy kit, 3/8" X 48" length	Black White	05014346 05014347	05014346 05014347
	Universal Stem suspension point	Black White	05014328 05014329	05014328 05014329
	Recessed T-bar ceiling clamp	Natural	05014500	05014499
	Ceiling clamp (use with aircraft cable suspensions)	Natural Black White	11054904 05014317 05014318	11054904 05014317 05014318
	Ceiling cup (use with aircraft cable suspensions)	Natural Black White	05014501 05014323 05014324	05014501 05014323 05014324
	Threaded rod, 1/4" X 6' length	Natural	05014325	05014325
	T-bar ceiling clamp	Natural	05014499	05014499
	Aircraft cable, 5' long	Natural	05014326	05014326
	Aircraft cable, 9' long	Natural	05014327	05014327

¹ A minimum of 2 suspension points per track length are required, with at least 1 suspension point every 4' of track length.

TEK 2 Circuit, 120 V - Configurations and Dimensions

HTEK track is polarized and is manufactured with identifying ridges (red line on diagrams). Refer to these diagrams to ensure proper connector selection.



HTEK 2 Circuit, 277 V – Configurations and Dimensions

HTEK track is polarized and is manufactured with identifying ridges (red line on diagrams). Refer to these diagrams to ensure proper connector selection.

